

ETS-POE-4

Ethernet Switch PoE 4 ports FE + 2 Uplink FE




Product Description

- Comply with IEEE802.3af/3at
- Flow control mode: IEEE802.3x Full duplex/Half Duplex
- Auto MDI/MDIX
- Front panel with light indicator work and fault analysis
- Extended switch to 250mt

Power Supply Mode	Internal power adaptor
Input power	AC input 220V 50/60HZ
Power	60W
Network Ports	1~4 Ethernet Port:10/100Mbps 1~2 Uplink Port:10/100 Mbps
Transmission Distance	1~4 Ethernet Port:0~250m with extender on 1~2 Uplink Port:0~100m
Basic Skills	Follow IEEE 802.3 Ethernet and IEEE802.3u Fast Ethernet Protocol Compatible with IEEE 802.3at/af compliant powered devices (PD) Compatible with certified non-standard powered devices (PD) Store and forward MAC automatic learning and aging IEEE802.3X full-duplex flow control and Backpressure half-duplex
Store and forward	Support
Capacity	1.0G
MAC address table	2K
POE standard	Standard IEEE802.3af/at single port maximum power 30W, Machine maximum power 60W Support overcurrent, overvoltage, short circuit protection
Data transfer rate	Ethernet 10Mbps half duplex 20Mbps full duplex Fast Ethernet 100Mbps half duplex 200Mbps full duplex
Working Temperature	0°C~55°C
Storage Temperature	-40°C~70°C
Humidity	Operating humidity: 10% to 90% RH does not condense Storage humidity: 5% to 90% RH does not condense
Dimensions (L*W*H)	202 x 140 x 44 mm
Weight	1kg









ETS-POE-4

Ethernet Switch PoE 4 ports FE + 2 Uplink FE




A	Green Led: Data Transmission(Flashing if there is data transmission)
B	Red Led: Ports detected an POE device
C	Green Led: Data Transmission(Flashing if there is data transmission)
D	Green Led: Data Transmission(Flashing if there is data transmission)
E	Red led on: The device is power on
F	Fast Ethernet Ports
G	Extended mode
H	Fast Ethernet Uplink Ports

TIA/EIA 568B Wiring

- 1  White and Orange
- 2  Orange
- 3  White and Green
- 4  Blue
- 5  White and Blue
- 6  Green
- 7  White and Brown
- 8  Brown

RJ45 Pinout T-568B



ETS-POE-4

Ethernet Switch PoE 4 ports FE + 2 Uplink FE

